

AKADÉMIAI KIADÓ

Journal of Behavioral Addictions

12 (2023) 2, 490–499

DOI:
10.1556/2006.2023.00027
© 2023 The Author(s)

FULL-LENGTH REPORT



Gambling participation among Connecticut adolescents from 2007 to 2019: Potential risk and protective factors

ELINA A. STEFANOVICS^{1,2,3*}, RALITZA GUEORGUIEVA^{1,4},
ZU WEI ZHAI⁵ and MARC N. POTENZA^{1,5,6,7,8,9,10}

¹ Department of Psychiatry, School of Medicine, Yale University, New Haven, CT, USA

² U.S. Department of Veterans Affairs New England, Mental Illness Research and Education Clinical Center (MIRECC), West Haven, CT, USA

³ National Center on Homelessness among Veterans, U.S. Department of Veterans Affairs, Tampa, FL, USA

⁴ Department of Biostatistics, Yale School of Public Health, New Haven, CT, USA

⁵ Program in Neuroscience, Middlebury College, Middlebury, VT, 05753, USA

⁶ Yale Child Study Center, Yale University, New Haven, CT, USA

⁷ Connecticut Mental Health Center, New Haven, CT, USA

⁸ Connecticut Council on Problem Gambling, Wethersfield, CT, USA

⁹ Department of Neuroscience, Yale University, New Haven, CT, USA

¹⁰ Wu Tsai Institute, Yale University, New Haven, CT, USA

Received: February 9, 2023 • Revised manuscript received: May 24, 2023 • Accepted: May 27, 2023

Published online: June 19, 2023

ABSTRACT

Background and aims: Gambling in adolescents is a public health concern. This study sought to examine patterns of gambling among Connecticut high-school students using seven representative samples covering a 12-year period. **Methods:** Data were analyzed from $N = 14,401$ participants in cross-sectional surveys conducted every two years based on random sampling from schools in the state of Connecticut. Anonymous self-completed questionnaires included socio-demographic data, current substance use, social support, and traumatic experiences at school. Chi-square tests were used to compare socio-demographic characteristics between gambling and non-gambling groups. Logistic regressions were used to assess changes in the prevalence of gambling over time and effects of potential risk factors on the prevalence, adjusted for age, sex, and race. **Results:** Overall, the prevalence of gambling largely decreased from 2007 to 2019, although the pattern was not linear. After steadily declining from 2007 to 2017, 2019 was associated with increased rates of gambling participation. Consistent statistical predictors of gambling were male gender, older age, alcohol and marijuana use, higher levels of traumatic experiences at school, depression, and low levels of social support. **Discussion and conclusion:** Among adolescents, older males may be particularly vulnerable to gambling that relates importantly to substance use, trauma, affective concerns, and poor support. Although gambling participation appears to have declined, the recent increase in 2019 that coincides with increased sports gambling advertisements, media coverage and availability warrants further study. Our findings suggest the importance of developing school-based social support programs that may help reduce adolescent gambling.

KEYWORDS

gambling, adolescents, substance use, risk behaviors

*Corresponding author.
E-mail: elina.stefanovics@yale.edu

INTRODUCTION

Gambling among adolescents is a public health concern. Despite legal age restrictions, adolescents participate in multiple types of gambling, including lotteries (Zhai et al., 2021),

internet-based (Potenza et al., 2011; Richard, Ivoska, & Derevensky, 2022), casino-based (Farhat et al., 2021), sports (Giralt et al., 2018), and poker (Dussault et al., 2020). Older national estimates suggest that approximately two-thirds (68%) of adolescents report past-year gambling in the U.S. (Welte, Barnes, Tidwell, & Hoffman, 2008), with 0.2%–12.3% of youth meeting criteria for problematic gambling internationally (Calado, Alexandre, & Griffiths, 2017). These estimates are typically higher than those in adults (0.5%–7.6%) (Derevensky, Marchica, Gilbeau, & Richard, 2022). Problem gambling in adolescents has been associated with a wide range of negative outcomes in the interpersonal, familial, psychological, and legal domains. A general vulnerability of adolescents as a group might be partially explained by the fact that the brain is still maturing during adolescence and young people are not always able to assess the risk level of such activities as gambling (Hardoon & Derevensky, 2002; Volberg, Gupta, Griffiths, Olason, & Delfabbro, 2010). Limited life experience may make adolescents susceptible to peer pressure (Zhai et al., 2017), marketing campaigns (Derevensky, Sklar, Gupta, & Messerlian, 2010; Kristiansen & Severin-Nielsen, 2022), and gambling advertisements more so than adults (Clemens, Hanewinkel, & Morgenstern, 2017). Thus, adolescent may have the highest number of unique risk factors (Sharman, Butler, & Roberts, 2019).

Gambling frequently begins at an early age, often with parents, siblings, or other relatives, and friends. Adolescents may engage in gambling on an occasional basis, wagering with their classmates, purchasing instant lottery tickets, or placing sports bets. During adolescence, experimentation in new activities with peers and friends typically becomes more common, normalizing future potentially problematic excessive gambling activity (Rahman et al., 2012). For some adolescents, gambling progresses from a fun and social activity to a habit that becomes excessive and out of control (Derevensky, 2012). Although gambling can significantly impact adolescents' lives, it is often unnoticed by teachers and parents until it has reached problematic proportions (Roberts, Murphy, McNally, Derevensky, & Sharman, 2022).

A growing body of research suggests that specifically male adolescents exposed to gambling at an earlier age are more at risk for developing gambling problems in the future (Shead, Derevensky, & Gupta, 2010). Adult gambling habits often arise from patterns developed during childhood and adolescence (Dowling et al., 2017). Male gender has been consistently found as a main sociodemographic factor associated with risk-taking and novelty-seeking behavior. Other potential risk factors include poor family cohesion and support (Dickson, Derevensky, & Gupta, 2008), engagement in delinquent behaviors such as alcohol, drug, tobacco use (Richard, Potenza, Ivoska, & Derevensky, 2019; Yip et al., 2011), psychological vulnerabilities, such as a history of trauma and social distress (Felsher, Derevensky, & Gupta, 2010; Jaisooriya et al., 2017; Oksanen, Sirola, Savolainen, & Kaakinen, 2019), low self-esteem (Abdi, Ruiter, & Adal, 2015; Delfabbro, Lahn, & Grabosky,

2006), and mental health problems such as depression and anxiety (Allami, Vitaro, Brendgen, Carbonneau, & Tremblay, 2018; Cosenza, Ciccarelli, & Nigro, 2019; Estevez, Herrero-Fernández, Sarabia, & Jauregui, 2015; Potenza et al., 2011; Yip et al., 2011). Personality characteristics and maladaptive coping strategies may be involved in the development of gambling disorder (GD) in adolescents as well (Pace, D'Urso, Ruggieri, Schimmenti, & Passanisi, 2021).

With technological advances, adolescents may be exposed to many new risks including remote forms of gambling via smartphones and the internet, or by playing videogames (King, Delfabbro, Kaptis, & Zwaans, 2014), which often include gambling-like elements like loot crates (Kristiansen & Severin, 2020) and thus may make adolescents become familiar with the variety of platforms used in online gambling (Griffiths & Parke, 2010). Internet gambling has transformed the traditional gambling environment, offering convenient, instant, and constant access to novel and interactive forms of gambling (Gainsbury, Russell, Wood, Hing, & Blaszczynski, 2015). A recent systematic review of online gambling found that between 0.77% and 57.5% of adolescents present some degree of problematic online gambling behavior and 0.89%–1% of adolescents exhibited online GD (Montiel, Ortega-Barón, Basterra-González, González-Cabrera, & Machimbarrena, 2021).

Within the current changing gambling environment (e.g., recent legalization of sports gambling and promotion through various media), it is important to understand the degree to which adolescents are involved in gambling activities across multiple years and to identify associated potential risk factors, as these may help shape specific prevention and intervention efforts targeting this vulnerable population. Although gambling has been associated with substance use and other concerns among youth (Yip et al., 2011), with recent legislative changes regarding to retail sports and online betting being legalized in many U.S. jurisdictions, including Connecticut (Holden, Edelman, & Miller, 2022), gambling among adolescents warrants specific attention in current contexts. Some of these changes have been preceded by similar gambling-like activities. For example, prior to the legalization of sports gambling in Connecticut in 2021, daily fantasy sports were legalized earlier in 2017. Although not legally considered gambling, the legalization of daily fantasy sports and its heavy promotion through various media may have potentially influenced sports-related gambling behaviors, especially among adolescents males who may closely follow sports.

The aim of this exploratory study was to evaluate patterns of past-year gambling involvement among Connecticut adolescents, explore demographic characteristics associated with gambling participation, and identify potential risk and protective factors (e.g., age, sex, race, current alcohol, marijuana and tobacco use, depression, social support, traumatic experiences at school) related to adolescent gambling for the period of time from 2007 to 2019.

METHODS

Participants

The current analyses included data from the 2007 ($n = 1,966$), 2009 ($n = 2,285$), 2011 ($n = 1,920$), 2013 ($n = 2,226$), 2015 ($n = 2,044$), 2017 ($n = 2,153$), 2019 ($n = 1,807$) administrations of the Youth Risk Behavior Survey (YRBS) of Connecticut high-school students, a cross-sectional, school-based survey conducted biennially since 1991, with gambling question introduced in 2007. High schools in Connecticut were selected using a random start with a probability proportional to enrollment sizes in grades 9 to 12. Permission was obtained at different levels of administration as required by each school. First, superintendents were informed that a school in their district was selected to participate. After approval from superintendents, administrators in each school were contacted for permission. Teachers of selected classrooms and students were given opportunities to decline participation. Classes were selected to participate by a systematic equal probability sampling procedure. Survey data underwent quality-control procedures, were weighted, and received post-stratification adjustment in order to be representative of high-school students in Connecticut. Surveys were administered at each school in a single day. Answers were anonymous and confidential, and students were reminded that participation was voluntary. The survey was self-administered and took one class period (approximately 45 min) to complete. Detailed descriptions of data collection procedures in the YRBS can be found elsewhere (<http://www.cdc.gov/yrbss>).

Measures

Socio-demographics characteristics included age (dichotomous: younger than 16 vs. 16 or older), sex (male vs. female), and race (White vs. non-White).

Gambling was assessed with the question, “During the past 12 months, how many times did you gamble for money or possessions? (Include buying lottery tickets, betting money on sports teams, or playing card games for money.)”. This question remained the same from 2007 to 2017 whereas in 2019, the question was modified to “During the past 12 months, how many times have you gambled on a sports team, gambled when playing cards or a dice game, played one of your state’s lottery games, gambled on the Internet, or bet on a game of personal skill such as pool or a video game?” If respondents gambled one or more times during the past 12 months, they were classified as gambling; otherwise, they were classified as not gambling.

Current marijuana use was assessed using single survey item, “Have you used marijuana one or more times past 30 days” and coded dichotomously yes/no, with a “no” response defined as “never” response.

Current alcohol use was assessed with the question, “In the last 30 days have you had one or more alcohol drinks” and coded dichotomously yes/no, with a “no” response defined as a “never” response.

Current tobacco smoking was assessed with the question, “During the past 30 days, on how many days did you smoke cigarettes” and coded dichotomously yes/no.

Social support variables included family support and teacher support. Family support was measured by the question, “Do you agree that your family loves you and gives you help and support when you need it?” Teacher support was measured by the question, “Is there at least one teacher or other adult at school that you can talk if you have a concern?” Adolescents who responded affirmatively to either of these two questions, were classified as feeling as if they had social support.

Traumatic experiences at school were assessed with the question, “Were you threatened or injured with a weapon on school property?” Affirmative responses were counted as having experienced trauma on school property.

Depression/dysphoria symptoms was assessed with the question, “In the last 12 months, did you feel sad or hopeless almost every day for more than 2 weeks?” (yes/no).

All measures were present in all years of the YRBS.

Statistical analyses

Data from the 2007, 2009, 2011, 2013, 2015, 2017, and 2019 of the YRBS were included in analyses. Data from the 2017 survey were described in a prior publication (Zhai, Duenas, Wampler, & Potenza, 2020). The numbers of participating schools are listed with the age range and sex composition being largely similar across the years.

2007: 46 of the 59 sampled eligible schools participated; 12–18 years old; 50% (weighted) male.

2009: 48 of the 63 sampled eligible schools participated; 12–18 years old; 50% (weighted) male.

2011: 44 of the 55 sampled eligible schools participated; 12–18 years old; 50% (weighted) male.

2013: 46 of the 54 sampled eligible schools participated; 12–18 years old; 50% (weighted) male.

2015: 41 of the 50 sampled eligible schools participated; 12–18 years old; 50% (weighted) male.

2017: 38 of the 50 sampled eligible schools participated; 12–18 years old; 51% (weighted) male.

2019: 33 of the 50 sampled eligible schools participated; 12–18 years old; 51% (weighted) male.

Analyses proceeded in several steps. First, weighted prevalence was reported by year of survey to examine patterns over time in gambling participation among adolescents. Second, differences in socio-demographic characteristics between groups (gambling vs. non-gambling) by year were assessed using χ^2 tests. Third, binary logistic regression analyses were employed to assess patterns in the prevalence of gambling from 2007 to 2019 and to model associations of potential risk and protective factors with gambling. The two-level gambling variable (i.e., gambling vs. no-gambling) was the dependent variable of interest. Time was the main predictor of interest, entered in the model as a categorical predictor. Variables considered to be potential risk/protective factors related to gambling level were included as independent variables. The model controlled for age, sex, and race. Adjusted odds ratios (AORs) with 95%

confidence intervals (CIs) were calculated to explain significant effects in the model. Fourth, to determine the relative contribution of each variable to explained variance in the model, multivariable logistic regression analyses were supplemented with relative importance analyses. These analyses partition explained variance among multiple predictors to better understand the role played by each predictor in a regression equation while accounting for intercorrelations among independent variables (Tonidandel & LeBreton, 2011) and thus quantify the relative importance of these variables in predicting outcomes. In other words, variable importance quantifies the relative contribution or impact of individual variables in a predictive model or statistical analysis. It is a measure that helps determine which variables are most influential in explaining the target variable's variability or predicting its values. To make statistically valid inferences from the sample to the study population, we analyzed the data using the provided sampling weights which account for the survey design. Statistical significance was evaluated at the 0.05 level. All analyses were performed using SAS 9.4 statistical software (SAS Institute Inc., Cary, North Carolina, U.S.).

Ethics

Passive consent procedures, in which parents were given the opportunity to deny permission for their children to participate in the survey, were used to obtain parental permission for most schools. Active consent, in which parents affirmed and authorized permission, was obtained when required. No identifying personal information was collected, and school and classroom codes were removed from the final dataset. All procedures were performed in accordance with the 1964 Helsinki Declaration and its amendments.

RESULTS

Data on 15,765 individuals were available. Less than 10% had missing data on the gambling question ($n = 1,364$, 8.6%) and were excluded from analysis. Thus, the total analytic sample consisted of 14,401 individuals. There were 7,062 (50.1%) males, and 8,493 (65.1%) respondents identified as White.

The gambling participation pattern is shown in Fig. 1. The graph shows a significant declining prevalence from 2007 to 2017, with a numerically higher rate of gambling in 2019 compared to several prior survey years.

Appendix Table A1 demonstrated a statistically significant decline in gambling participation from 2007 to 2009 and from 2011 to 2013, with a statistically significant increase from 2017 to 2019.

In each biennial survey, gambling participation was associated with being male; in 2013, 2015, and 2019, it was additionally associated with older age (16+ years). In 2007 and 2009, White adolescents were more likely to report gambling activities, with no differences in the years that followed (Table 1).



Fig. 1. Prevalence of gambling participation by the survey year

Figure 2 shows sex-related differences in gambling participation by year. The graph shows that males were significantly more likely than females to report gambling in each survey year.

Table 2 presents potential risk factors associated with gambling participation. The strongest statistical predictors of gambling in 2007–2019 were male sex (AOR = 4; 95% CL 3.6–4.5) and current alcohol use (AOR = 2; 95% CL 1.8–2.4). Additionally, older adolescents had significantly higher odds to report past-year gambling compared to younger adolescents. Similarly, marijuana use in the past month, depression/dysphoric feelings and having been threatened or injured with a weapon on school property were also associated with significantly higher odds of gambling ($1.1 \leq \text{AOR} \leq 1.9$). Less social support was also associated with increased odds of past-year gambling (AOR = 0.79; 95% CL 0.7–0.9). Variable importance analysis showed that male sex and current alcohol use were the most important statistical predictors of adolescent gambling (Fig. 3).

DISCUSSION

The results of our study show a significant declining prevalence of gambling participation from 2007 to 2017 but a subsequent increase in 2019. There may be several reasons for this pattern. In 2019, the survey gambling question was modified to capture information about current participation in online (internet) gambling. Consequently, one of the explanations of the increased frequency of gambling participation might be that the survey questionnaire in the last year captured more instances of gambling. Another possible explanation is the ease of access to gambling opportunities in more recent years. Due to recent changes in legislation and the introduction of gambling-like features in video games (e.g., loot boxes (Griffiths, 2018; Wardle & Zendle, 2021), use of skins betting in video gaming) alongside increased technological advances, online gambling has become increasingly popular, especially among adolescents (Gómez, Feijóo, Braña, Varela, & Rial, 2020; Hollén, Dörner, Griffiths, & Emond, 2020; Molinaro et al., 2018). The availability of gambling internet sites and gambling apps on smartphones presents adolescents with numerous

Table 1. Gambling by sociodemographic group and survey year

Variable	2007 (N = 1,966)		2009 (N = 2,285)		2011 (N = 1,920)		2013 (N = 2,226)		2015 (N = 2,044)		2017 (N = 2,153)		2019 (N = 1,807)	
	n	%	n	%	n	%	n	%	n	%	n	%	n	%
Age, years		<i>p</i> = 0.09		<i>p</i> = 0.67		<i>p</i> = 0.17		<i>p</i> = 0.0005		<i>p</i> = 0.25		<i>p</i> = 0.0003		<i>p</i> = 0.004
>16	441	30.39	394	26.13	279	23.80	263	18.45	270	20.33	218	15.90	248	22.36
16+	231	34.62	187	27.29	174	27.32	200	25.18	156	23.31	167	22.90	203	30.22
Sex		<i>p</i> ≤ 0.0001		<i>p</i> ≤ 0.0001		<i>p</i> ≤ 0.0001		<i>p</i> ≤ 0.0001		<i>p</i> ≤ 0.0001		<i>p</i> ≤ 0.0001		<i>p</i> ≤ 0.0001
Female	175	18.66	158	13.65	114	11.78	114	10.71	126	11.87	108	9.95	147	16.22
Male	465	45.21	421	39.16	337	38.18	347	31.33	295	30.83	275	26.98	303	34.62
Race		<i>p</i> = 0.001		<i>p</i> = 0.01		<i>p</i> = 0.34		<i>p</i> = 0.33		<i>p</i> = 0.67		<i>p</i> = 0.70		<i>p</i> = 0.57
Non-White	179	27.16	208	22.76	160	26.55	143	19.27	165	21.97	187	18.79	231	26.56
White	452	34.13	360	28.12	281	24.07	296	21.38	252	21.03	188	18.07	220	24.78

* Weighted percent.

In the body of the table, significantly different percentages (at 0.05 level) by sociodemographic group are denoted in bold.

Gambling by Survey Year and Sex




Fig. 2. Gambling participation by the survey year, stratified by sex

Table 2. Results from multivariable logistic regression model predicting gambling behavior (yes/no)

Variable	Estimate	SE	<i>p</i>	AOR		
				Point Estimate	95% Confidence Limits	
Year (2009 vs. 2007)	−0.32	0.08	0.0004	0.73	0.62	0.86
Year (2011 vs. 2007)	−0.44	0.10	0.0002	0.64	0.52	0.79
Year (2013 vs. 2007)	−0.66	0.08	<0.0001	0.52	0.44	0.61
Year (2015 vs. 2007)	−0.49	0.10	<0.0001	0.61	0.50	0.74
Year (2017 vs. 2007)	−0.62	0.10	<0.0001	0.54	0.43	0.67
Year (2019 vs. 2007)	−0.21	0.08	0.02	0.81	0.68	0.96
Age (16+ years vs. <16 years)	0.11	0.04	0.01	1.12	1.02	1.22
Sex (male vs. female)	1.39	0.06	<0.0001	4.00	3.55	4.50
Race (White vs. non-White)	0.11	0.06	0.07	1.12	0.99	1.27
Current alcohol use (yes vs. no)	0.74	0.07	<0.0001	2.11	1.83	2.42
Current marijuana use (yes vs. no)	0.34	0.07	<0.0001	1.41	1.22	1.64
Current tobacco use (yes vs. no)	0.16	0.08	0.07	1.17	0.99	1.40
Depression/dysphoria (yes vs. no)	0.17	0.07	0.02	1.19	1.03	1.36
Social support (yes vs. no)	−0.23	0.08	0.01	0.79	0.67	0.93
Traumatic experiences at school	0.62	0.11	<0.0001	1.86	1.48	2.35

*Bolted are significant adjusted odds ratios at 0.05 level.

AOR = adjusted odds ratio.

SE = standard error.




Fig. 3. Relative variable importance analysis

opportunities to gamble online. Given the unique characteristics of the internet (availability, accessibility, affordability, anonymity, and convenience), online gambling may show some unique features with respect to other forms of adolescent risk-taking behaviors that are often associated with strong peer pressure or influences. The isolative characteristics of the internet may contribute to the link between problematic internet use, depression, and substance use specifically in adolescents (Potenza et al., 2011). Studies also suggest that online gambling may be more addictive than offline gambling (Chóliz, Marcos, & Lázaro-Mateo, 2021). Another change warrant mentioning is the legalization of daily fantasy sports in Connecticut in 2017, and following legalization there was considerable advertising including during sports events. The extent to which these may have influenced sports wagering among youth warrants consideration.

With regards to potential socio-demographic risk factors and in line with the previous findings from the YRBS and other Connecticut data (Zhai et al., 2020; Zhai et al., 2017), the National Epidemiologic Survey on Alcohol and Related Conditions (NESARC) (Loo, Kraus, & Potenza, 2019) and other studies (Riley, Oster, Rahamathulla, & Lawn, 2021), adolescent male gender was significantly associated with gambling participation in each year of the survey and, in fact, was the strongest statistical predictor of past-year gambling involvement. This might be explained by adolescent boys being more likely to engage in risk-taking behaviors in general (Ajisukumo, 2021), and these behaviors often occur in social settings involving peers. At the same time, adolescent boys are more susceptible to deviant peer pressure for risk-taking behaviors, sometimes to seek alignment with a masculine ideal or appear more mature among peers (McCoy, Dimler, Samuels, & Natsuaki, 2019). Also, boys may be more influenced by marketing campaigns and pay more attention to gambling advertisements than girls (Kristiansen & Severin-Nielsen, 2022). For those adolescents with adequate family support, exposure to gambling advertisements did not promote encouraging attitudes towards gambling and gambling participation (Parrado-González & León-Jariego, 2020). In fact, one cross-sectional study of Finnish adolescents found that social support from parents and school personnel was associated with decreased gambling activity among boys and girls (Räsänen, Lintonen,

Tolvanen, & Konu, 2016). Among boys, social support from friends was associated with increased gambling, which suggests that friends often play a significant role in male gambling activity (Räsänen et al., 2016). Social support plays an important role in shaping adolescent behavior toward gambling, as social support can be used as a buffer during periods of stress and traumatic events. Specifically, individuals who receive higher levels of social support perceive stressful situations as less threatening, less traumatic, and more controllable (Evans, Steel, & DiLillo, 2013; Pakenham, Smith, & Rattan, 2007). However, some studies have found that social support is a more silent buffer in females (Szkody & McKinney, 2020). Future studies should investigate relationships between gender and social support and how it is related to gambling.

Corroborating other findings (Zhai et al., 2020), stressful and traumatic events like being threatened or injured with a weapon on school property statistically predicted gambling participation. Childhood trauma and life stressors have been linked to GD (Horak, Eagle, Stein, & Lochner, 2021), with stressful life events often moderating the relationship between childhood trauma and GD. While some people may use gambling as a coping mechanism to avoid negative mood states or regulate unpleasant emotions (Barrault, Mathieu, Brunault, & Varescon, 2019; Weatherly & Miller, 2013), gambling for escape and excitement may in turn either mediate or moderate the relationship between major depression and problematic gambling behavior (Vaughan & Flack, 2022). Further investigation of current life stressors as probable moderating link between childhood trauma and GD may provide a deeper understanding of these complex associations. Collectively, the findings suggest that substance use, trauma exposure, consequent psychiatric difficulties as depression and poor social support from parents and teachers may increase interest in gambling participation and thereby increase risk for developing GD in the future in adolescents.

Gambling participation was further associated with alcohol and marijuana use. Specifically, current alcohol use was the second most robustly associated factor with gambling. The co-occurrence of alcohol and other substances (like marijuana) with gambling are well-documented in other studies of adolescents (Buja et al., 2020; Peters et al., 2015; Richard et al., 2019), as alcohol, drug use, and other risk-behaviors tend to cluster together, particularly during adolescence when significant physical and psychological development occurs (Assanangkornchai, Li, McNeil, & Saingam, 2018).

The gambling environment has been changing, overlapping with other popular adolescent activities such as video games, with elements of gambling (e.g., loot crates or loot boxes) incorporated into them. These features may make gambling more accessible and socially acceptable among young people. These broader opportunities to gamble may facilitate more habitual patterns of gambling that can have negative life consequences, including development of GD, and this possibility should be investigated in

future studies. The serious nature of gambling problems among adolescents is particularly alarming considering that gambling is perceived to be a highly acceptable activity and common form of entertainment, with little recognition of the potential harm for adolescents. New forms of gambling and significant expansion in the range of gambling activities supported by digital technologies may be a particular risk for adolescents due to the potential of early age of onset of gambling involvement and development of positive attitude towards gambling. Further, adolescent gambling clusters with other risk behaviors including alcohol and drug use. Therefore, intervention programs concerning adolescent gambling should take into consideration other risk-taking behaviors (alcohol, drug use). Social support from parents and school personnel should be considered protective resources that can play a crucial role in decreasing adolescent gambling.

Several strengths and limitations of the study are noteworthy. The YRBS is a large epidemiological study involving self-report measures. First, gambling was assessed with only one question, and types and problematic severity of gambling could not be investigated given that multiple forms of gambling were embedded in one question annually. Additionally, the gambling question was modified in the 2019 survey. Thus, the potential impact of temporal contexts cannot be disentangled from the change in the question assessing gambling. Second, self-reported data are subject to biases, such as reliability on memory, social desirability, and honesty of responses. Given the illegal nature of several variables (e.g., gambling among participants younger than 18 years, use of illicit substances or licit substances for adults like alcohol), it is possible that participants may not have reported engagement in certain behaviors, leading to overly conservative prevalence estimates. Conversely, bravado-type responses may have led to over-estimations. Third, the cross-sectional design of this survey study precludes analyses or statements about potential directionality or causality. Moreover, the survey is descriptive and not designed to explain reasons behind observed patterns over time. Fourth, although this is a representative sample, the survey was conducted in select school districts in one state; thus, the extent to which current findings generalize to populations outside the state of Connecticut is unclear. Fifth, there are other potential risk and protective factors including several individual, social, and familial domains, which were not measured in this study. Specific risk factors may differ for individuals as gambling problems likely have multiple etiological determinants. Sixth, only certain forms of gambling were mentioned in the surveys, and it is possible that specific forms of gambling were not reported by respondents. Seventh, the study was exploratory and thus used a relatively liberal threshold for determining statistical significance.

Overall, results suggest that gambling is a relatively common activity among Connecticut adolescents. Further, our study identified several risk and protective factors that may have important roles in influencing youth involvement in gambling, a risk factor for gambling disorder. Prevention

and intervention efforts should be focused on multiple-behavior interventions (e.g., drug and alcohol use) specifically among boys and adolescent with mental health vulnerabilities. Early life stressors, specifically adverse childhood experiences and trauma screening and assessment, are also warranted. Adequate social support may act as a protective factor against gambling and problem gambling. Hence, strengthening adolescents' social support from school and parents may be beneficial. Social support may be a crucial component of intervention strategies for adolescent problem gambling. Strong familial relationships, positive role models, and open communication between adolescents, parents, and teachers may reduce the likelihood of involvement in risky behaviors such as gambling. Given that adolescents may be increasingly exposed to various gambling opportunities online and offline, especially in the context of legalized sports gambling, it is important to identify individuals at risk, monitor the consequences of gambling involvement, and refer individuals for help when needed. This may be particularly relevant in Connecticut and other states where sports gambling has been recently legalized.

Funding sources: Drs. EAS and MNP were supported by the Connecticut Council on Problem Gambling (CCPG). Dr. RG's work was supported by grant number 5UL1TR001863 from the National Institutes of Health (NIH) and National Center for Advancing Translational Sciences (NCATS). Dr. ZWZ was supported by the Vermont Biomedical Research Network. This manuscript does not express the views of the funding agencies. The views and opinions expressed in this work are those of the authors.

Authors' contribution: Drs. EAS, RG, and MNP conceptualize the study, design, and conduct analyses and wrote the original draft of the manuscript. Dr. ZWZ was involved in review & editing of the manuscript. All authors provided critical feedback with respect to the content of the manuscript. They also had full access to all data in the study and take responsibility for the integrity of the data and the accuracy of the data analyses.

Conflict of interest: The authors report no conflict of interest with respect to the content of this manuscript. MNP has consulted for Game Day Data, Addiction Policy Forum, AXA, Idorsia, Baria-Tek, and Opiant Therapeutics; been involved in a patent application involving Novartis and Yale; received research support from the Mohegan Sun Casino, Children and Screens and the Connecticut Council on Problem Gambling; consulted for or advised legal, gambling and non-profit entities on issues related to impulse control, internet use and addictive behaviors; performed grant reviews; edited journals/journal sections; given academic lectures in grand rounds, CME events and other clinical/scientific venues; and generated books or chapters for publishers of mental health texts. MNP is an associate editor of the Journal of Behavioral Addictions.



REFERENCES

- Abdi, T. A., Ruiter, R. A., & Adal, T. A. (2015). Personal, social and environmental risk factors of problematic gambling among high school adolescents in Addis Ababa, Ethiopia. *Journal of Gambling Studies*, 31, 59–72.
- Ajisuksmo, C. R. (2021). Why some adolescents engage in risk-taking behavior. *International Journal of Educational Psychology*, 10(2), 143–171. <https://doi.org/10.17583/ijep.2021.4258>.
- Allami, Y., Vitaro, F., Brendgen, M., Carbonneau, R., & Tremblay, R. E. (2018). Identifying at-risk profiles and protective factors for problem gambling: A longitudinal study across adolescence and early adulthood. *Psychology of Addictive Behaviors*, 32(3), 373.
- Assanangkornchai, S., Li, J., McNeil, E., & Saingam, D. (2018). Clusters of alcohol and drug use and other health-risk behaviors among Thai secondary school students: A latent class analysis. *BMC Public Health*, 18(1), 1–10. <https://doi.org/10.1186/s12889-018-6205-z>.
- Barrault, S., Mathieu, S., Brunault, P., & Varescon, I. (2019). Does gambling type moderate the links between problem gambling, emotion regulation, anxiety, depression and gambling motives. *International Gambling Studies*, 19(1), 54–68. <https://doi.org/10.1080/14459795.2018.1501403>.
- Buja, A., Mortali, C., Mastrobattista, L., De Battisti, E., Minutillo, A., Pichini, S., ... Andreotti, A. (2020). Stimulant substance use and gambling behaviour in adolescents. Gambling and stimulant use. *Adicciones*, 32(4). <https://doi.org/10.20882/adicciones.1312>.
- Calado, F., Alexandre, J., & Griffiths, M. D. (2017). Prevalence of adolescent problem gambling: A systematic review of recent research. *Journal of Gambling Studies*, 33(2), 397–424. <https://doi.org/10.1007/s10899-016-9627-5>.
- Chóliz, M., Marcos, M., & Lázaro-Mateo, J. (2021). The risk of online gambling: A study of gambling disorder prevalence rates in Spain. *International Journal of Mental Health and Addiction*, 19(2), 404–417. <https://doi.org/10.1007/s11469-019-00067-41>.
- Clemens, F., Hanewinkel, R., & Morgenstern, M. (2017). Exposure to gambling advertisements and gambling behavior in young people. *Journal of Gambling Studies*, 33(1), 1–13. <https://doi.org/10.1007/s10899-016-9606-x>.
- Cosenza, M., Ciccarelli, M., & Nigro, G. (2019). Decision-making styles, negative affectivity, and cognitive distortions in adolescent gambling. *Journal of Gambling Studies*, 35(2), 517–531.
- Delfabbro, P., Lahn, J., & Grabosky, P. (2006). Psychosocial correlates of problem gambling in Australian students. *Australian & New Zealand Journal of Psychiatry*, 40(6–7), 587–595.
- Derevensky, J., Marchica, L., Gilbeau, L., & Richard, J. (2022). Behavioral Addictions in children: A focus on gambling, gaming, internet addiction, and excessive smartphone use. *Handbook of substance Misuse and Addictions: From Biology to public health* (pp. 1–25). Springer. https://doi.org/10.1007/978-3-030-67928-6_161-1.
- Derevensky, J., Sklar, A., Gupta, R., & Messerlian, C. (2010). An empirical study examining the impact of gambling advertisements on adolescent gambling attitudes and behaviors. *International Journal of Mental Health and Addiction*, 8(1), 21–34. <https://doi.org/10.1007/s11469-009-9211-7>.
- Derevensky, J. L. (2012). *Teen gambling: Understanding a growing epidemic*. Rowman & Littlefield Publishers.
- Dickson, L., Derevensky, J. L., & Gupta, R. (2008). Youth gambling problems: Examining risk and protective factors. *International Gambling Studies*, 8(1), 25–47. <https://doi.org/10.1080/14459790701870118>.
- Dowling, N., Merkouris, S., Greenwood, C., Oldenhof, E., Toumbourou, J., & Youssef, G. (2017). Early risk and protective factors for problem gambling: A systematic review and meta-analysis of longitudinal studies. *Clinical Psychology Review*, 51, 109–124. <https://doi.org/10.1016/j.cpr.2016.10.008>.
- Dussault, F., Dufour, M., Brunelle, N., Tremblay, J., Rousseau, M., Leclerc, D., & Cousineau, M.-M. (2020). Who are the young poker players? A latent class analysis of high school teenagers. *Psychology of Addictive Behaviors*, 34(2), 392. <https://doi.org/10.1037/adb0000540>.
- Estevez, A., Herrero-Fernández, D., Sarabia, I., & Jauregui, P. (2015). The impulsivity and sensation-seeking mediators of the psychological consequences of pathological gambling in adolescence. *Journal of Gambling Studies*, 31, 91–103.
- Evans, S. E., Steel, A. L., & DiLillo, D. (2013). Child maltreatment severity and adult trauma symptoms: Does perceived social support play a buffering role? *Child Abuse & Neglect*, 37(11), 934–943. <https://doi.org/10.1016/j.chiabu.2013.03.005>.
- Farhat, L. C., Foster, D. W., Wampler, J., Krishnan-Sarin, S., Hoff, R. A., & Potenza, M. N. (2021). Casino gambling in adolescents: Gambling-related attitudes and behaviors and health and functioning relationships. *Journal of Gambling Studies*, 1–17. <https://doi.org/10.1007/s10899-021-10083-6>.
- Felsher, J. R., Derevensky, J. L., & Gupta, R. (2010). Young adults with gambling problems: The impact of childhood maltreatment. *International Journal of Mental Health and Addiction*, 8(4), 545–556. <https://doi.org/10.1007/s11469-009-9230-4>.
- Gainsbury, S. M., Russell, A., Wood, R., Hing, N., & Blaszczynski, A. (2015). How risky is internet gambling? A comparison of subgroups of internet gamblers based on problem gambling status. *New Media & Society*, 17(6), 861–879. <https://doi.org/10.1177/1461444813518>.
- Giralt, S., Müller, K. W., Beutel, M. E., Dreier, M., Duven, E., & Wölfling, K. (2018). Prevalence, risk factors, and psychosocial adjustment of problematic gambling in adolescents: Results from two representative German samples. *Journal of Behavioral Addictions*, 7(2), 339–347. <https://doi.org/10.1556/2006.7.2018.37>.
- Gómez, P., Feijóo, S., Braña, T., Varela, J., & Rial, A. (2020). Minors and online gambling: Prevalence and related variables. *Journal of Gambling Studies*, 36(3), 735–745. <https://doi.org/10.1007/s10899-019-09923-3>.
- Griffiths, M. D. (2018). Is the buying of loot boxes in video games a form of gambling or gaming? *Gaming Law Review*, 22(1), 52–54. <https://doi.org/10.1089/glr2.2018.2216>.
- Griffiths, M. D., & Parke, J. (2010). Adolescent gambling on the internet: A review. *International Journal of Adolescent Medicine and Health*, 22(1), 59–75.
- Hardoon, K. K., & Derevensky, J. L. (2002). Child and adolescent gambling behavior: Current knowledge. *Clinical Child Psychology and Psychiatry*, 7(2), 263–281.

- Holden, J. T., Edelman, M., & Miller, K. C. (2022). Legalized sports wagering in America. *Cardozo Law Review*. <http://dx.doi.org/10.2139/ssrn.4216904> (in press).
- Hollén, L., Dörner, R., Griffiths, M. D., & Emond, A. (2020). Gambling in young adults aged 17–24 years: A population-based study. *Journal of Gambling Studies*, 36(3), 747–766. <https://doi.org/10.1007/s10899-020-09948-z>.
- Horak, N. S., Eagle, G., Stein, D. J., & Lochner, C. (2021). Gambling disorder and childhood trauma: A complex association. *Journal of Gambling Studies*, 37(2), 515–528. <https://doi.org/10.1007/s10899-020-09983-w>.
- Jaisooriya, T., Beena, K., Beena, M., Ellangovan, K., Thennarassu, K., Bowden-Jones, H., ... George, S. (2017). Do high school students in India gamble? A study of problem gambling and its correlates. *Journal of Gambling Studies*, 33(2), 449–460. <https://doi.org/10.1007/s10899-016-9651-5>.
- King, D. L., Delfabbro, P. H., Kaptis, D., & Zwaans, T. (2014). Adolescent simulated gambling via digital and social media: An emerging problem. *Computers in Human Behavior*, 31, 305–313. <https://doi.org/10.1016/j.chb.2013.10.048>.
- Kristiansen, S., & Severin, M. C. (2020). Loot box engagement and problem gambling among adolescent gamers: Findings from a national survey. *Addictive Behaviors*, 103, 106254. <https://doi.org/10.1016/j.addbeh.2019.106254>.
- Kristiansen, S., & Severin-Nielsen, M. K. (2022). Adolescent gambling advertising awareness: A national survey. *International Journal of Social Welfare*, 31(2), 263–273. <https://doi.org/10.1111/ijsw.12501>.
- Loo, J. M., Kraus, S. W., & Potenza, M. N. (2019). A systematic review of gambling-related findings from the national epidemiologic survey on alcohol and related Conditions. *Journal of Behavioral Addictions*, 8(4), 625–648. <https://doi.org/10.1556/2006.8.2019.64>.
- McCoy, S. S., Dimler, L. M., Samuels, D. V., & Natsuaki, M. N. (2019). Adolescent susceptibility to deviant peer pressure: Does gender matter? *Adolescent research review*, 4(1), 59–71. <https://doi.org/10.1007/s40894-017-0071-2>.
- Molinaro, S., Benedetti, E., Scalese, M., Bastiani, L., Fortunato, L., Cerrai, S., ... Feijão, F. (2018). Prevalence of youth gambling and potential influence of substance use and other risk factors throughout 33 European countries: First results from the 2015 ESPAD study. *Addiction*, 113(10), 1862–1873. <https://doi.org/10.1111/add.14275>.
- Montiel, I., Ortega-Barón, J., Basterra-González, A., González-Cabrera, J., & Machimbarrena, J. M. (2021). Problematic online gambling among adolescents: A systematic review about prevalence and related measurement issues. *Journal of Behavioral Addictions*, 10(3), 566–586. <https://doi.org/10.1556/2006.2021.00055>.
- Oksanen, A., Sirola, A., Savolainen, I., & Kaakinen, M. (2019). Gambling patterns and associated risk and protective factors among Finnish young people. *Nordic Studies on Alcohol and Drugs*, 36(2), 161–176. <https://doi.org/10.1177/1455072518779657>.
- Pace, U., D'Urso, G., Ruggieri, S., Schimmenti, A., & Passanisi, A. (2021). The role of narcissism, hyper-competitiveness and maladaptive coping strategies on male adolescent regular gamblers: Two mediation models. *Journal of Gambling Studies*, 37, 571–582. <https://doi.org/10.1007/s10899-020-09980-z>.
- Pakenham, K. I., Smith, A., & Rattan, S. L. (2007). Application of a stress and coping model to antenatal depressive symptomatology. *Psychology, Health & Medicine*, 12(3), 266–277. <https://doi.org/10.1080/13548500600871702>.
- Parrado-González, A., & León-Jariego, J. C. (2020). Exposure to gambling advertising and adolescent gambling behaviour. Moderating effects of perceived family support. *International Gambling Studies*, 20(2), 214–230. <https://doi.org/10.1080/14459795.2020.1712737>.
- Peters, E. N., Nordeck, C., Zanetti, G., O'Grady, K. E., Serpelloni, G., Rimondo, C., ... Schwartz, R. P. (2015). Relationship of gambling with tobacco, alcohol, and illicit drug use among adolescents in the USA: Review of the literature 2000–2014. *The American Journal on Addictions*, 24(3), 206–216. <https://doi.org/10.1111/ajad.12214>.
- Potenza, M. N., Wareham, J. D., Steinberg, M. A., Rugle, L., Cavallo, D. A., Krishnan-Sarin, S., & Desai, R. A. (2011). Correlates of at-risk/problem internet gambling in adolescents. *Journal of the American Academy of Child and Adolescent Psychiatry*, 50(2), 150–159, e153. <https://doi.org/10.1016/j.jaac.2010.11.006>.
- Rahman, A. S., Pilver, C. E., Desai, R. A., Steinberg, M. A., Rugle, L., Krishnan-Sarin, S., & Potenza, M. N. (2012). The relationship between age of gambling onset and adolescent problematic gambling severity. *Journal of Psychiatric Research*, 46(5), 675–683. <https://doi.org/10.1016/j.jpsychires.2012.02.007>.
- Räsänen, T., Lintonen, T., Tolvanen, A., & Konu, A. (2016). The role of social support in the association between gambling, poor health and health risk-taking. *Scandinavian Journal of Public Health*, 44(6), 593–598. <https://doi.org/10.1177/1403494816654380>.
- Richard, J., Ivoska, W., & Derevensky, J. L. (2022). Understanding adolescent esports bettors: Are they a homogeneous group? *Addictive Behaviors*, 107598. <https://doi.org/10.1007/s10899-018-9778-7>.
- Richard, J., Potenza, M. N., Ivoska, W., & Derevensky, J. (2019). The stimulating nature of gambling behaviors: Relationships between stimulant use and gambling among adolescents. *Journal of Gambling Studies*, 35(1), 47–62.
- Riley, B. J., Oster, C., Rahamathulla, M., & Lawn, S. (2021). Attitudes, risk factors, and behaviours of gambling among adolescents and young people: A literature review and gap analysis. *International Journal of Environmental Research and Public Health*, 18(3), 984. <https://doi.org/10.3390/ijerph18030984>.
- Roberts, A., Murphy, R., McNally, E.-J., Derevensky, J., & Sharman, S. (2022). Teacher attitudes towards and awareness of adolescent gambling behavior in the UK. *International Gambling Studies*, 1–25. <https://doi.org/10.1080/14459795.2022.2105927>.
- Sharman, S., Butler, K., & Roberts, A. (2019). Psychosocial risk factors in disordered gambling: A descriptive systematic overview of vulnerable populations. *Addictive Behaviors*, 99, 106071. <https://doi.org/10.1016/j.addbeh.2019.106071>.
- Shead, N. W., Derevensky, J. L., & Gupta, R. (2010). Risk and protective factors associated with youth problem gambling. *International Journal of Adolescent Medicine and Health*, 22(1), 39.
- Szkody, E., & McKinney, C. (2020). Appraisal and social support as moderators between stress and physical and psychological



- quality of life. *Stress and Health*, 36(5), 586–595. <https://doi.org/10.1002/smi.2957>.
- Tonidandel, S., & LeBreton, J. M. (2011). Relative importance analysis: A useful supplement to regression analysis. *Journal of Business and Psychology*, 26(1), 1–9. <https://doi.org/10.1007/s10869-010-9204-3>.
- Vaughan, E., & Flack, M. (2022). Depression symptoms, problem gambling and the role of escape and excitement gambling outcome expectancies. *Journal of Gambling Studies*, 38(1), 265–278. <https://doi.org/10.1007/s10899-021-10032-3>.
- Volberg, R. A., Gupta, R., Griffiths, M. D., Olason, D. T., & Delfabbro, P. (2010). An international perspective on youth gambling prevalence studies. *International Journal of Adolescent Medicine and Health*, 22(1), 3–38. <https://doi.org/10.1515/IJAMH.2010.22.1.3>.
- Wardle, H., & Zendle, D. (2021). Loot boxes, gambling, and problem gambling among young people: Results from a cross-sectional online survey. *Cyberpsychology, Behavior, and Social Networking*, 24(4), 267–274. <https://doi.org/10.1089/cyber.2020.0299>.
- Weatherly, J. N., & Miller, K. B. (2013). Exploring the factors related to endorsing gambling as an escape. *International Gambling Studies*, 13(1), 52–64. <https://doi.org/10.1080/14459795.2012.703214>.
- Welte, J. W., Barnes, G. M., Tidwell, M.-C. O., & Hoffman, J. H. (2008). The prevalence of problem gambling among US adolescents and young adults: Results from a national survey. *Journal of Gambling Studies*, 24(2), 119–133. <https://doi.org/10.1007/s10899-007-9086-0>.
- Yip, S. W., Desai, R. A., Steinberg, M. A., Rugle, L., Cavallo, D. A., Krishnan-Sarin, S., & Potenza, M. N. (2011). Health/functioning characteristics, gambling behaviors, and gambling-related motivations in adolescents stratified by gambling problem severity: Findings from a high school survey. *The American Journal on Addictions*, 20(6), 495–508. <https://doi.org/10.1111/j.1521-0391.2011.00180.x>.
- Zhai, Z. W., Duenas, G. L., Wampler, J., & Potenza, M. N. (2020). Gambling, substance use and violence in male and female adolescents. *Journal of Gambling Studies*, 36(4), 1301–1324. <https://doi.org/10.1007/s10899-020-09931-8>.
- Zhai, Z. W., Hoff, R. A., Howell, J. C., Wampler, J., Krishnan-Sarin, S., & Potenza, M. N. (2021). Lottery-purchasing adolescents: Gambling perceptions, problems, and characteristics. *Journal of Gambling Studies*, 1–19. <https://doi.org/10.1007/s10899-021-10004-7>.
- Zhai, Z. W., Yip, S. W., Steinberg, M. A., Wampler, J., Hoff, R. A., Krishnan-Sarin, S., & Potenza, M. N. (2017). Relationships between perceived family gambling and peer gambling and adolescent problem gambling and binge-drinking. *Journal of Gambling Studies*, 33(4), 1169–1185. <https://doi.org/10.1007/s10899-017-9670-x>.

APPENDIX

Table A1. Unadjusted odds ratios by survey year

	2009 vs 2007			2011 vs 2009			2013 vs 2011			2015 vs 2013			2017 vs 2015			2019 vs 2017		
	OR	95% CL		OR	95% CL		OR	95% CL		OR	95% CL		OR	95% CL		OR	95% CL	
Gambling	0.77	0.67	0.89	0.93	0.76	1.14	0.80	0.65	0.97	1.02	0.87	1.20	0.83	0.67	1.04	1.50	1.16	1.94

Bolded are significant findings.