

Supplementary data: Score of PANSS in ARAS patients

	Mean	Standard deviation
Delusions	3.64	1.20
Conceptual disorganization	1.99	1.04
Hallucinations	2.93	1.35
Excitement	1.88	1.21
Grandiosity	1.96	1.22
Suspiciousness/persecution	3.14	1.24
Hostility	2.15	1.17
Negative scale		
Blunted affect	2.02	1.10
Emotional withdrawal	1.97	0.95
Poor rapport	1.79	0.95
Passive/apathetic social withdrawal	2.05	1.14
Difficulty in abstract thinking	2.28	1.11
Lack of spontaneity and flow of conversation	1.46	0.69
Stereotyped thinking	1.28	0.62
General psychopathology		
Somatic concern	1.38	0.76
Anxiety	1.84	1.02
Guilt feelings	1.75	0.96
Tension	1.44	0.72
Mannerisms and posturing	1.18	0.51
Depression	1.96	1.12
Motor retardation	1.48	0.74
Uncooperativeness	1.57	0.89
Unusual thought content	1.94	1.26
Disorientation	1.48	0.82
Poor attention	1.69	0.90
Lack of judgment and insight	2.51	1.29
Disturbance of volition	1.82	0.84
Poor impulse control	1.61	1.00
Preoccupation	1.46	0.77
Active social avoidance	1.92	1.11