

Supplemental Online Content


Roth KB, Kahn G, Storr CL, Wilcox HC. Childhood factors associated with unnatural death through midadulthood. *JAMA Netw Open*. 2024;7(2):e240327.
doi:10.1001/jamanetworkopen.2024.0327

eFigure. Study Flow Chart

eTable. ICD Recodes and ICD Codes for Categories of Natural and Unnatural Death

This supplemental material has been provided by the authors to give readers additional information about their work.

eFigure. Study Flow Chart



eTable. ICD Recodes and ICD Codes for Categories of Natural and Unnatural Death

<u>Category</u>	<u>ICD-9 Recodes*</u>	<u>ICD-9 Codes</u>	<u>ICD-10 Recodes**</u>	<u>ICD-10 Codes</u>
Natural	00100 to 29800	001-799	001 to 111	A01-R99
Unnatural	-	-	-	-
Unintentional Injury	30000 to 33600	E800-E949	112 to 123	V01-X59,Y85-Y86
Suicide	33700 to 34400	E950-E959	124 to 126	*U03,X60-X84,Y87.0
Homicide	34600 to 34900	E960-E969	127 to 129	*U01-*U02,X85-Y09,Y87.1
Undetermined Intent	35200 to 35700	E980-E989	131 to 133	Y10-Y34,Y87.2,Y89.9

*Refers to the 282 ICD-9 recodes of selected causes of death.

**Refers to the 113 ICD-10 recodes of selected causes of death.