

Table S1 (supplemental): Correlations among socio-demographic factors, and substance use at T4 and T6

	1.	2.	3.	4.	5.	6.	7.	8.	9.
1. Sex (% female)	-								
2. Age (T1)	.024	-							
3. Family socioeconomic status	-.049	.067	-						
4. Work intensity (ages 16-17)	.113**	-.096*	-.019	-					
5. GSO	-.43***	-.062	-.021	.031	-				
6. Smoking (T4)	-.131**	-.030	-.002	.054	.046	-			
7. Heavy drinking (t4)	-.244***	-.055	.036	.083	.128*	.384***	-		
8. Cannabis use (T4)	-.151**	-.012	-.123**	.154**	.086	.450**	.402***	-	
9. Illicit drug use (T4)	-.045	-.008	-.036	.103*	.045	.447***	.403***	.544***	-
10. Alcohol use disorder symptoms (T6)	-.164***	-.030	-.035	.001	.087	.188***	.440***	.302***	.253**
11. Cannabis use disorder symptoms (T6)	-.159**	.007	-.048	.076	.179***	.172**	.178***	.497**	.253**
12. Illicit drug use frequency (T6)	-.110*	-.102*	-.003	.061	.097*	.378***	.326***	.286***	.405***

Note. GSO = Gender-segregated occupation. * $p < .05$, ** $p < .01$, *** $p < .001$