

Supporting Information

Identification of a possible endocannabinoid-mediated mechanism of action of Cetylated Fatty Acids

Giulia Bononi ^{1,2}, Carlotta Granchi ^{1,2}, Tiziano Tuccinardi ^{1,2} and Filippo Minutolo ^{1,2*}

¹ Department of Pharmacy, University of Pisa, Via Bonanno 6, 56126 Pisa, Italy.

giulia.bononi@farm.unipi.it (G.B.); carlotta.granchi@unipi.it (C.G.); tiziano.tuccinardi@unipi.it (T.T.)

² Center for Instrument Sharing of the University of Pisa (CISUP), Lungarno Pacinotti 43, 56126 Pisa, Italy.


* Correspondence: filippo.minutolo@unipi.it (F.M.)

Table of Contents

Figure S1-S9. ¹H and ¹³C NMR spectra of the final compounds **3a-i**.

S2-S10

EG-17



EG-17 ¹³C





Figure S1. ¹H-NMR and ¹³C-NMR of compound 3a.

EG-13



EG-13 ¹³C





Figure S2. ¹H-NMR and ¹³C-NMR of compound 3b.

EG-15



EG-15 ¹³C





Figure S3. ¹H-NMR and ¹³C-NMR of compound **3c**.

EG-8



EG-8 13C





Figure S4. ¹H-NMR and ¹³C-NMR of compound **3d**.

EG-11



EG-11 ¹³C





Figure S5. ¹H-NMR and ¹³C-NMR of compound **3e**.

EG-19



EG-19 ¹³C






Figure S6. ¹H-NMR and ¹³C-NMR of compound **3f**.


EG-22



EG-22

Figure S7. ¹H-NMR and ¹³C-NMR of compound **3g**.

EG-23



EG-23 ^{13}C





Figure S8. ^1H -NMR and ^{13}C -NMR of compound **3h**.

EG-21



EG-21 ¹³C




Figure S9. ¹H-NMR and ¹³C-NMR of compound **3i**.