


**Inhibition of autophagic flux differently modulates cannabidiol-induced death in 2D and 3D glioblastoma cell cultures**

**Vladimir N. Ivanov, Peter W. Grabham, Cheng-Chia Wu and Tom K. Hei**


Center for Radiological Research, Department of Radiation Oncology,  
Vagelos College of Physicians and Surgeons, Columbia University, New York, NY 10032

***Correspondence to:*** Vladimir N. Ivanov, *E-mail address:* vni3@cumc.columbia.edu

***Keywords:*** glioblastoma; cannabidiol; radiotherapy; autophagy, 3D glioma culture




**Figure 1a**




**Figure 1b**


**Figure S1.** The originals of Western blots for Figure 1. The center lane in LC3-I/II and ACTIN 24 h blots (which contain protein sample after an additional treatment non-used in this paper) was removed.



**Figure S2.** The originals of Western blots for Figure 2a.




**Figure 3a**




**Figure 3a (addition)**

**Figure S3a.** The originals of Western blots for Figure 3a.




**Figure 3b**

**Figure S3b.** The originals of Western blots for Figure 3b.




**Figure 4f**




**Figure 4g**


**Figure S4.** The originals of Western blots for Figure 4f and 4g demonstrate total and phosphorylated STAT3 levels. Star indicates non-specific band.




**Figure 6a**



**Figure 6a**




**Figure 6b**




**Figure 6b**


**Figure S6.** The originals of Western blots for Figure 6. 24 h after treatment (Figure 6b), JNK1/2-P demonstrates increased levels of low molecular weight products, probably, as a result of degradation.



**Figure S7.** The originals of Western blots for Figure 7a.



**Figure S8.** The originals of Western blots for Figure 8a and 8b.



**Figure S10.** The originals of Western blots for Figure 10c. Two center lanes in gel blots for ARS2, NRF2, NF-κB-p65-P and NF-κB p65 (which contain proteins after additional treatments non-used in this paper) were removed.