

Supplementary Material

Liver-targeted nanoparticles loaded with cannabidiol based on redox response for effective alleviation of acute liver injury

Xuan Zhang ^{a, c, d}, Xiangzhou Yi ^{a, c, d}, Xia Gao ^{a, c, d}, Yongcheng Li ^{a, c, d}, Xuanri Shen ^{a, b, c, d *}

^a School of Food Science and Engineering, Hainan University, Haikou, 570228, China

^b College of Food Science and Engineering, Hainan Tropical Ocean University, Sanya, 572022, China

^c Key Laboratory of Food Nutrition and Functional Food of Hainan Province, Haikou, 570228, China

^d Hainan Engineering Research Center of Aquatic Resources Efficient Utilization in South China Sea, Hainan University, Haikou, 570228, China

*** To the Correspondence**

Name: Xuanri Shen

E-mail: shenxuanri2009@163.com

Mailing address: College of Food Science and Engineering, Hainan University, No. 58, Renmin Avenue, Meilan District, Haikou, 570228, China




Figure S1. ^1H NMR spectrum of pullulan polysaccharides.




Figure S2. ^1H NMR spectrum of polymer DA-PP.




Figure S3. ^1H NMR spectrum of polymer DA-PP-LA.




Figure S4. Infrared spectrum of pullulan polysaccharides.




Figure S5. Infrared spectrum of polymer DA-PP.




Figure S6. Infrared spectrum of polymer DA-PP-LA.