

Addictions in hidradenitis suppurativa – a cross-sectional pilot study

Alexander Böhner¹, Wanja Steinhauser¹, Rosi Wang¹, Christian Posch^{2,3,4}, Alexander Zink¹, Tilo Biedermann¹ and Thomas Volz¹

¹ Department of Dermatology and Allergology, School of Medicine and Health, Technical University of Munich, Munich, Germany

² School of Medicine, Sigmund Freud University, Vienna, Austria

³ Department of Dermatology, Clinic Hietzing and Landstrasse, Vienna, Austria

⁴ Department of Dermatology and Allergology, School of Medicine and Health, German Cancer Consortium (DKTK), Technical University of Munich, Munich, Germany

ORCID Identifiers

Alexander Böhner	https://orcid.org/0000-0003-1590-0805
Rosi Wang	https://orcid.org/0000-0001-5235-516X
Christian Posch	https://orcid.org/0000-0003-0296-3567
Alexander Zink	https://orcid.org/0000-0001-9313-6588
Tilo Biedermann	https://orcid.org/0000-0002-5352-5105
Thomas Volz	https://orcid.org/0000-0002-3229-597X

Corresponding author: Thomas Volz, MD, Department of Dermatology and Allergology, School of Medicine and Health, Technical University of Munich, Biedersteiner Str. 29, 80802 Munich, Germany

Email: thomas.volz@tum.de

Supplementary table

Supplementary Table 1: Questionnaires included in the study questionnaire. * considered clinically significant.

Questionnaire	Abbreviation	Scale	Possible answers	Number of questions	Range	Classifications
Dermatology Life Quality Index	DLQI	ordinal	[] very much (3) [] a lot (2) [] a little (1) [] not at all (0) [0-1] no effect at all on patient's life [] not relevant (0)	10	0-30	[0-1] no effect on patients' life [2-5] small effect [6-10] moderate effect [11-20] large effect [21-30] extremely large effect
„Happiness“		ordinal	[] 0 (utterly unhappy) [] 1 [] 2 [] 3 [] 4 [] 5 [] 6 [] 7 [] 8 [] 9 [] 10 (extremely happy)	1	0-10	
WHO-Five Well-Being Index	WHO-5	ordinal	[] at no time (0) [] some of the time (1) [] less than half of the time (2) [] more than half of the time (3) [] most of the time (4) [] all of the time (5)	5	0-25	[0-12] depression* [13-25] no depression
Generalised Anxiety Disorder-7	GAD-7	ordinal	[] not at all (0) [] several days (1) [] over half the days (2) [] nearly every day (3)	7	0-21	[0-4] no anxiety [5-9] mild anxiety [10-14] moderate anxiety* [15-21] severe anxiety*

						positive result if score ≥ 10
CAGE- questionnaire	CAGE	binominal	☐ yes (1) ☐ no (0)	4	0-4	[0-1] no alcohol addiction [2-4] alcohol addiction*
Smoking	-	-	☐ none ☐ seldom ☐ daily, but less than one pack of cigarettes ☐ approximately one pack of cigarettes per day ☐ approximately 1.5 packs of cigarettes per day ☐ approximately 2 packs of cigarettes per day ☐ more than 2 packs per day 1 pack of cigarettes is defined as 20 cigarettes	-	-	-
Gamblers Anonymous 20 Questions	GA-20	binominal	☐ yes (1) ☐ no (0)	20	0-20	[0-6] no gambling problem [7-20] compulsive gambling*
Compulsive Internet Use Scale	CIUS	ordinal	☐ never (0) ☐ seldom (1) ☐ sometimes (2) ☐ often (3) ☐ very often (4)	14	0-56	[0-20] not problematic [21-30] pathological internet use*
Modified Yale food addiction scale 2.0	mYFAS 2.0	ordinal	☐ never (0) ☐ less than 1 time a month (1) ☐ once a month (2) ☐ 2-3 times per month (3) ☐ once a week	13	0-11	[0-1] No signs of food addiction [2-3]. Mild food addiction* [4-5] moderate food addiction* [6-11] severe food addiction*

			(4) [] 2-3 times per week (5) [] 4-6 times per week (6) [] daily (7)			
Drug Abuse Screening Test	DAST-10	binominal	[] yes (1) [] no (0)	10	0-10	[0] No problems reported [1-2] mild level [3-5] moderate level* [6-8] substantial level* [9-10] severe level*
Cannabis Abuse Screening Test	CAST	ordinal	[] never (0) [] rarely (1) [] from time to time (2) [] fairly often (3) [] very often (4)	6	0-24	[0-4] Not addicted [5-24] Cannabis addiction*