

Supplemental Information for

**Cannabinoid CB₁ receptor gene inactivation in oligodendrocyte precursors
disrupts oligodendrogenesis and myelination in mice**

Aníbal Sánchez-de la Torre, Tania Aguado, Alba Huerga-Gómez, Silvia Santamaría, Antonietta Gentile, Juan Carlos Chara, Carlos Matute, Krisztina Monory, Susana Mato, Manuel Guzmán, Beat Lutz, Ismael Galve-Roperh & Javier Palazuelos



Corresponding author: Javier Palazuelos

Email: j.palazuelos@ucm.es


This PDF file includes:

Original Western blot scans

Biological replicates of western blot analysis shown in **Figure 2A**




Biological replicates of western blot analysis shown in **Figure 2A**




Biological replicates of western blot analysis shown in **Figure 2F**


CC






Crb





Hipp





Biological replicates of western blot analysis shown in [Figure 4A](#)





Biological replicates of western blot analysis shown in **Figure 4C**




Biological replicates of western blot analysis shown in **Figure 4C**




Biological replicates of western blot analysis shown in **Figure 4C**




Biological replicates of western blot analysis shown in **Figure 4C**





Biological replicates of western blot analysis shown in **Figure 4F**



Biological replicates of western blot analysis shown in Figure 4F



Biological replicates of western blot analysis shown in Figure 5A



Biological replicates of western blot analysis shown in **Figure 6C**

