

The QUEST Initiative 12-month observational study results of HRQL in medicinal cannabis patients

S2 Table. Patient-reported gender identity and ethnicity of 2744 participants recruited to the QUEST Initiative by those included in the 12-month analyses and those who completed baseline only.

| Participant Characteristics (n=2744) | Completed baseline only (n=391) | Completed baseline + follow-up (n=2353) | P value (χ^2) | |
|--------------------------------------|---------------------------------|---|----------------------|-------|
| Gender identity, n (%) | | | | |
| Man | 142 (36.3) | 836 (35.5) | 0.857 | |
| Woman | 224 (57.3) | 1404 (59.7) | | |
| Transgender | 1 (0.3) | 2 (0.1) | | |
| Genderqueer | - | 4 (0.2) | | |
| Agender | - | 2 (0.1) | | |
| Genderless | - | 1 (0.0) | | |
| Non-binary | 4 (1.0) | 13 (0.6) | | |
| Trans Man | - | 1 (0.0) | | |
| Two-Spirit | - | 1 (0.0) | | |
| Genderfluid | 1 (0.3) | 4 (0.2) | | |
| Undisclosed | 19 (4.9) | 85 (3.7) | | |
| Ethnicity, n (%) | | | | |
| Aboriginal or Torres Strait Islander | 14 (3.6) | 54 (2.3) | | 0.145 |
| Other Australian | 216 (55.2) | 1309 (55.6) | | |
| New Zealander or Polynesian | 6 (1.3) | 71 (3.0) | | |
| British | 52 (13.3) | 374 (15.9) | | |
| Irish | 9 (2.3) | 71 (3.0) | | |
| North-West European | 19 (4.9) | 119 (5.1) | | |
| Southern and Eastern European | 17 (4.3) | 125 (5.3) | | |
| North African and Middle Eastern | 6 (1.5) | 18 (0.8) | | |
| South-East Asian | 4 (1.0) | 20 (0.9) | | |
| North-East Asian | 4 (1.0) | 21 (0.9) | | |
| Southern or Central Asian | 7 (1.8) | 24 (1.0) | | |
| North American | 8 (2.0) | 35 (1.5) | | |
| South or Central American | 5 (1.3) | 31 (1.3) | | |
| Sub-Saharan African | 9 (2.3) | 24 (1.0) | | |
| Undisclosed | 15 (3.8) | 57 (2.4) | | |