

S1 Table: Terpenes tested at Columbia Labs with provided LOQ's

Analyte	LOQ	Unit	Analyte	LOQ	Unit
Nerol	0.019695	% w/w	α -Bisabolol	0.019695	% w/w
(\pm)-fenchone	0.019695	% w/w	Geraniol	0.019695	% w/w
(+)-Cedrol	0.019695	% w/w	Eucalyptol	0.019695	% w/w
trans- β -Ocimene	0.01313	% w/w	(\pm)-cis-Nerolidol	0.019695	% w/w
(\pm)-trans-Nerolidol	0.019695	% w/w	Geranyl acetate	0.019695	% w/w
α -Terpinene	0.019695	% w/w	Sabinene	0.019695	% w/w
(+)-fenchol	0.019695	% w/w	Humulene	0.019695	% w/w
(-)- β -Pinene	0.019695	% w/w	α -pinene	0.019695	% w/w
Isoborneol	0.019695	% w/w	(\pm)-Camphor	0.019695	% w/w
p-Cymene	0.019695	% w/w	farnesene	0.019695	% w/w
(-)-Isopulegol	0.019695	% w/w	gamma-Terpinene	0.019695	% w/w
(+)-Pulegone	0.019695	% w/w	β -Myrcene	0.019695	% w/w
α -phellandrene	0.019695	% w/w	(-)-caryophyllene oxide	0.019695	% w/w
Menthol	0.019695	% w/w	(-)- α -Terpineol	0.019695	% w/w
β -Caryophyllene	0.019695	% w/w	cis- β -Ocimene	0.006565	% w/w
Terpinolene	0.019695	% w/w	α -cedrene	0.019695	% w/w
(R)-(+)-Limonene	0.019695	% w/w	Linalool	0.019695	% w/w
Sabinene hydrate	0.019695	% w/w	(-)-Guaiol	0.019695	% w/w
valencene	0.019695	% w/w	Camphene	0.019695	% w/w
d-3-Carene	0.019695	% w/w	(+)-Borneol	0.019695	% w/w