

S2 Table: Comparison of attribute frequencies from CATA analysis of type I and type III *Cannabis* samples (N = 21 panelists). Differences within each attribute are calculated as average type III *Cannabis* score minus average type I *Cannabis* score where a positive outcome represents greater frequency of use of the attribute for type III *Cannabis* samples while negative outcomes represent greater frequency for the type I *Cannabis* samples.

Attribute	Type III <i>Cannabis</i>					Type I <i>Cannabis</i>					Difference
	Sum	%	Min	Max	Avg	Sum	%	Min	Max	Avg	
Herbal	554	100%	4	15	9.4	252	100%	2	12	7.9	1.5
Citrus	477	86%	0	16	8.1	185	73%	0	14	5.8	2.3
Woody	399	72%	1	16	6.8	216	86%	3	12	6.8	0.0
Fruity	376	68%	0	13	6.4	180	71%	0	13	5.6	0.7
Candy	366	66%	0	14	6.2	152	60%	0	14	4.8	1.5
Floral	292	53%	0	9	4.9	124	49%	0	9	3.9	1.1
Straw	283	51%	1	15	4.8	165	65%	1	9	5.2	-0.4
Tropical	281	51%	0	9	4.8	107	42%	0	9	3.3	1.4
Earthy	223	40%	1	14	3.8	134	53%	0	10	4.2	-0.4
Chemical	218	39%	0	11	3.7	128	51%	0	10	4.0	-0.3
Black Tea	182	33%	0	12	3.1	104	41%	1	7	3.3	-0.2
Cheesy	166	30%	0	11	2.8	83	33%	0	10	2.6	0.2
Pepper	159	29%	0	9	2.7	84	33%	0	9	2.6	0.1
Ammonia	149	27%	0	6	2.5	106	42%	0	7	3.3	-0.8
Musty	145	26%	0	10	2.5	129	51%	0	10	4.0	-1.6
Vomit/fecal	143	26%	0	10	2.4	69	27%	0	7	2.2	0.3
Berry	140	25%	0	8	2.4	81	32%	0	8	2.5	-0.2
Fuel	134	24%	0	7	2.3	94	37%	0	7	2.9	-0.7
Animal	104	19%	0	8	1.8	79	31%	0	9	2.5	-0.7
Skunky	93	17%	0	5	1.6	98	39%	0	10	3.1	-1.5
Nutty / Toasted bread	87	16%	0	7	1.5	93	37%	0	10	2.9	-1.4
Creamy	79	14%	0	7	1.3	49	19%	0	6	1.5	-0.2
Cakey	78	14%	0	7	1.3	53	21%	0	6	1.7	-0.3
Baking spice	70	13%	0	7	1.2	34	13%	0	3	1.1	0.1
Doughy/Yeasty	43	8%	0	4	0.7	35	14%	0	4	1.1	-0.4